



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
11/13/2001	Jiro Senda	Q66742	6567
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC 2100 Pennsylvania Avenue, N.W. Washington, DC 20037-3213		EXAMINER GARCIA, GABRIEL I	
PERIOD OF RESPONSE	MAII DATE	DELIVER	V MODE
			
	11/13/2001 590 03/13/2007 ON, ZINN, MACPEAK nia Avenue, N.W.	11/13/2001 Jiro Senda 590 03/13/2007 ON, ZINN, MACPEAK & SEAS, PLLC nia Avenue, N.W. 2 20037-3213 PERIOD OF RESPONSE MAIL DATE	11/13/2001 Jiro Senda Q66742 590 03/13/2007 ON, ZINN, MACPEAK & SEAS, PLLC nia Avenue, N.W. C 20037-3213 ART UNIT 2625 PERIOD OF RESPONSE MAIL DATE DELIVER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)
	09/987,076	SENDA, JIRO
Office Action Summary	Examiner	Art Unit
	Gabriel I. Garcia	2625
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. ely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 15 December 2a) This action is FINAL. 2b) This 3) Since this application is in condition for alloware closed in accordance with the practice under Example 25.	action is non-final.	
Disposition of Claims	•	
4) Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-16 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	wn from consideration. r election requirement. r. epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No d in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	te

Art Unit: 2625

Part III DETAILED ACTION

1. This application has been examined, Claims 1-16 are pending in this application.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2625

2. Claims 1-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Nihei (U.S. Patent Number 6,891,634, cited in the Office action dated 2/24/06).

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Regarding claim 1, Nihei discloses an image transmitting device (see Figs. 1-5) comprising combining process means for generating a composite image by joining a plurality of original images (column 8, lines 31-59), storing means for storing the composite image generated by the combining process means and the original images that the composite image comprises together with corresponding combining data required for generating the composite image (column 8, lines 31-59), and selection process means for executing a selection process that outputs one or more of the composite image, original images, or combining data as output data based on an output destination device specified as the destination for image transmission (see

Art Unit: 2625

Figs. 6-21, column 5, lines 11-49, and column 8, lines 31-59).

Regarding claim 2, Nihei discloses the image transmitting device discussed above in claim 1, and further teaches of an output data selection table that associates identification data for a plurality of destination devices with various output or non-output data of the composite image, original images, and combining data (see Figs. 6 and 18, column 4, lines 39-44, and column 7, lines 21-61), and the selection process means executes the selection process on output data based on settings in the output data selection table (see Figs. 6-21, column 5, lines 11-49, and column 8, lines 31-59).

Regarding claim 3, Nihei discloses the image transmitting device discussed above in claim 1, and further teaches that the selection process means executes a selection process on output data predetermined based on attributes of the output destination device (see Figs. 6-21, column 5, lines 11-49, and column 7, line 21-column 8, line 59).

Regarding claim 4, Nihei discloses the image transmitting device discussed above in claim 1, and further teaches that the selection process means executes a selection process on output data based on user specifications (see Figs. 6-21, column 5, lines 11-49, and column 7, line 21-column 8, line 59).

Art Unit: 2625

Regarding claim 5, Nihei discloses an image transmitting method comprising a composite process step for generating a composite image by joining a plurality of original images (column 8, lines 31-59), a storing step for storing the composite image generated by the combining process means and the original images that the composite image comprises together with corresponding composite data 31-59), and a selection process step for executing a selection process that outputs one or more of the composite image, original images, or combining data as output data based on an output destination device specified as the destination for image transmission (see Figs. 6-21, column 5, lines 11-49, and column 8, lines 31-59).

Regarding claim 6, Nihei discloses the image transmitting method discussed above in claim 5, and further teaches that the selection process in the selection process step is executed on output data based on settings in an output data selection table that associates identification data for a plurality of destination devices with various output or non-output data of the composite image, original images, and combining data (see Figs. 6-21, column 4, line 39-column 5, line 44, and column 7, line 21-column 8, line 59).

Art Unit: 2625

Regarding claim 7, Nihei discloses the image transmitting method discussed above in claim 5, and further teaches that the selection process in the selection process step is executed on output data predetermined based on attributes of the output destination device (see Figs. 6-21, column 5, lines 11-49, and column 7, line 21-column 8, line 59).

Regarding claim 8, Nihei discloses the image transmitting method discussed above in claim 5, and further teaches that the selection process in the selection process step is executed on output data based on user specifications (see Figs. 6-21, column 5, lines 11-49, and column 7, line 21-column 8, line 59).

Regarding claim 9, Nihei discloses the image transmitting method discussed above in claim 1, and further wherein teaches the selection process means selects as a destination device among at least two of a printer, a database, and an output display (see figs. 1 and 5).

Regarding claim 10, Nihei discloses the image transmitting method discussed above in claim 9, and further wherein the selection is automatic (inherently reads on figs. 1-4, which allow the selection which is automatically perform once the selection is done).

Regarding claim 11, Nihei discloses the image transmitting method discussed above in claim 5, and further teaches the

Art Unit: 2625

original images comprise selective partial images on an entire image (reads on the selection means as depicted by fig. 1).

Regarding claim 12, Nihei discloses the image transmitting method discussed above in claim 1, and further teaches the storing means stores the composite image, the original images, and the combining data in a common medium (see figs 1 and 5).

Regarding claims 13-14, Nihei discloses the image transmitting method discussed above in claim 1, and further teaches the combining data includes parameters required for generating the composite image or resolution (reads on fig. 9, which depicts the picture size or resolution).

Regarding claim 15, Nihei discloses the image transmitting method discussed above in claim 1, and further teaches the selection process means selects the output data for the specified output destination device using an output data selection table (reads on fig. 1).

Regarding claim 16, Nihei discloses the image transmitting method discussed above in claim 1, and further teaches wherein the original images are obtained from modalities (see figs 1-9).

Art Unit: 2625

Conclusion

3. In response to applicant's arguments regarding the rejection of independent claim 1, which was cited in the Office action dated 8/16/06 under 35 U.S.C. 102(e) as being anticipated by Nihei (U.S. Patent Number 6,891,634), whereby applicant argues on page 5 that Nihei fails to teach if the DRAM stores combining data required for generating the composite image. Currently, claim 1 requires "storing means for storing the composite image generated by the combining process means and the original images that the composite image comprises together with corresponding combining data required for generating the composite image".

Continuing, as read in column 8, lines 32-41, Nihei states that "If the working DRAM 14 is empty ("YES" at step 101), designated template image data is read in from the input medium and stored temporarily in the frame memory 6 (step 102). Designated print image data is read in and this is stored temporarily in the frame memory 6 (step 103). The image represented by the print image data is combined with the image represented by the template image data to generate composite image data. The generated composite image data is stored in the working DRAM 15 (step 104)."

Art Unit: 2625

Thus, Nihei teaches of storing means (interpreted as the DRAM 15 and the frame memory 6) for storing the composite image generated by the combining process means (interpreted as the generated composite image data) and the original images that the composite image comprises (interpreted as the designated print image data) together with corresponding combining data required for generating the composite image (whereby the combining data is interpreted as the template image data). Examiner also indicates that clearly the template can be incorporated into the system of Nihei, by using any input means as shown in fig. 1, making the template an original image.

Continuing, in response to applicant's arguments, which argue that Nihei fails to further teach of selection means for selecting one or more of the composite image, original images, or combining data based on a specified output destination device. The examiner notes that claim 1 additionally requires "selection process means for executing a selection process that outputs one or more of the composite image, original images, or combining data as output data based on an output destination device specified as the destination for image transmission", with emphasis added. Thus, only one of a composite image needs to be output as output data based on an output destination device specified as the destination for image transmission. In

Art Unit: 2625

column 5, lines 15-45, and column 8, lines 31-59, Nihei states that composite images can be selected to be printed out.

Therefore, Nehei can be interpreted as teaching of having means for executing a selection process that outputs one or more of the composite image, original images, or combining data as output data based on an output destination device specified as the destination for image transmission.

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Matema (20040070778A1) teaches an image processing apparatus having a synthesizing image selection subsection.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gabriel I. Garcia whose telephone number is (571) 272-7434. The Examiner can normally be reached Monday-Thursday from 7:30 AM-6:00 PM. The fax phone number for this group is 571-273-8300.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the

Art Unit: 2625

examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-2600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gabriel I. Garcia Primary Examiner March 4, 2007

GABRIEL I. GARCÍA PRIMARY EXAMINER